

CIA-RDP86-00513R000620010017-4" **APPROVED FOR RELEASE: 03/20/2001**

KAIAMDIYA, A.I. (Thilisi)

Stresses in a piecewise homogeneous medium. Prikl. mat. 1 mekh. 29 no.4:785-788 Jl-Ag '65. (MIRA 18:9)

1. Vychislitel'nyy tsentr AN Gruzinskoy SSR.

MIMINOVSHVILL, S.Ya.; RUKHADZE, T.I.; KUZNETSOVA, N.Kh.; MEBONYAY, L.E.;
DEKANOZISHVILL, M.Ya.; KALANDIYA, N.G.; ZARZHETSKAYA, A.S.

Active detection of glaucoma among the rural inhabitants of the Abkhazian
A.S.S.R..Vest.oft. 73 no. 3:28-30 My-Je '60. (MIRA 14:1)

(ABKHAZIA—dLAUCOMA)

GRIGOLIYA, A.L.; DATESHIDZE, D.G.; DZHORDZHIKIYA, V.D.; KALANDIYA, T.P.

Results of compound spa therapy for hypertension at Sukhumi, Vop. kur., fizioter. i lech.fiz.kulit. no.4:3-9 0-D '55. (MIRA 12:12)

1. Iz Abkhazskogo filiala Instituta kurortologii Gruzinskoy SSR (dir. - prof. A.L. Grigoliya).
(CLIMATE.

climatother. of hypertension) (HYPERTENSION, therapy, climatother.

KORISTEK, V.; KALANDRA, A.; ZAVREL.I.

Results of treatment of the external bile ducts at the 1st Surgical Hospital in Erno during the period 1953 to 1959. 1. Results of conservative treatment. Cesk. gastroent. vyz. 17 no.8:449-453 D:63

Results of surgical treatment of the external bile ducts at the 1st Surgical Hospital in Brno during the period 1953 to 1959. 2. Results of surgical treatment. Ibid. 454 - 462

1. I. chirurgicka klinika lekar. fakulsty University J.E. Purkyne, Brno; prednosta prof. dr. J. Podlaha, DrSc.

KALANDRA, Augustin, doc., inz., Dr.Sc.

The course of gradation of the spruce sawfly (Cephalcia abietis L.) in Sedlonov forests in Nachod area in the years 1952-1960. Les cas 9 no.1:15-22 Ja '63;


1. Vyakumny ustav lesniho hospodarstvi i myslivosti, Zbraslav - Strnady.


__KALANDRA, Augustin, prof. dr. DrSc.


Leaf spot on populars caused by the fungus Marsonina popularingrae Kleb. Les cas 10 no.91319-822 S tol.


1. Research Institute of Forestry and Game Keeping, Zbraslav-Strnady.


.	KALANDRA	, Dusan,	inz.							
			ctions f	from fly ash	blocks. I	oz stavi	oy 11 r	10.11.		0.
	,	1. Hutn	l projek	ct, ustrava.						
										,
							- 4 			
	er.			. yar 3 3.						
								R	* .	
							1			














KALANDRA, A.

Report on the activities of the Department of Forestry. p. 273. (VESTNIK, Vol. 4, No. 5/6, 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 12, Dec 1957. Uncl.

KALANDRA, A., and others.

Present state in the sturggle against pests causing large damages in forests in Czechoslovakia in recent years. In Russian. p. 284. (Sbornik, Rada, Lesuctvi. Vol. 30, no. 4, Apr. 1957. Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 10, October 1957, Uncl.

KALANDRA, A.

"Report on the meeting of the Department of Forestry"

Westnik. Praha, Czechoslovakia. Vol. 5, special issue, 1958

Monthly list of East European Accessions (EEAI), LC, Vol. 8, No. 6, Jun 59, Unclas

CZECHOSLOVAKIA / General and Specialized Zoology. Insects. Forest Pests.

P

Abs Jour

: Ref Zhur - Biol., No 17, 1958, No 78398

Authors

: Kalandra, Pivets, Kudler, Kolubajiv, Hinterbuch-

ner, Patocka.

Inst

: Not given

Title

: Control of Mass Forest Pests in Czechoslovakia

in Recent Years.

Orig Pub : Lesn. prace, 1957, 36, No. 2, 59-62

Abstract

: Review of the control measures of mass pests and diseases of forests, and their results. There is a description of the control of the oak leaf roller, the gypsy moth, the winter moth, the pine moth nun moth, fir leaf roller, spruce web-spinning sawfly, fir black sawfly, Pachynomatus soutellatus, Cheimatobia boreata and Arethymus sp. A A few of the distributed fungus diseases of forest species are also mentioned.

Card 1/1

KAS, Vaclav, dopisulici chlen; KOSIL, Vladimir, dopisujici chlen; KALANDRA,
Augustin, akademik; PARIZEK, Miroslav, dr.; TOKSIK, Boleslav, prof.;
PATOCKA, Jan, dr., kandidat biologichych ved; CHURY, Jiri, doc. dr.;
PAV, Jaromir, dr.; JANDA, Jiri, dr.; KANAK, Karel, inz.; ZAVADIL,
Zdenek, inz.

Discussion of the report of the scientific secretary of the Czechoslovak Academy of Agricultural Sciences. Vestnik CSAZV 7 no.1/2:100-118 '60. (EEAI 9:7)

1. Vysoka skola zemedelska a lesnicka, Brno (for Kas, Parizek, Tomsik, Chury). 2. Vysoka skola zemedelska, Praha (for Kosil).
3. Predseda VI. odboru Ceskoslovenske akademie zemedelskych ved (for Kalandra). 4. Vyskumny ustav lesneho hospodarstva, Banska Stiavnica (for Patocka). 5. Vyzkumny ustav lesniho hospodarstvi a myslivosti Ceskoslovenske akademie zemedelskych ved, Zbraslav (for Pav, Janda, Kanak, Zavadil).

(Czechoslovakia--Agriculture)

"APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R000620010017-4


KALAMDRA

Use of membrane filters in hemoculture, Cesk, epidem, mikrob, imm,
7 no.1:49-56 Jan 58.

1. Vojensky ustav hugieny, epidemiologie a mikrobiologie. Ustav
epidemiologie a mikrobiologie, Praha, prednosta prof. MUDr Karel Raska,
J. S., Praha 12, Horni stromny 14.

(BIOOD, microbiol,
hemoculture, use of membrane filters in (Cs))


(FILTERS
membrane filters, use in hemoculture (Cs))




KALAHDYK, K.; GUMULKA, W.

"Development of the Polish Pharmaceutical Industry During the first Ten Years of the Polish People's Republic." P. 277. (PRZEWSL CHETICZIN, Vol. 10, No. 6, June, 1954, Warszawa, Poland)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 1, Jan. 1955 Uncl.





KALANGARLY, S.

Conference on the use of inhibitors and inhibited lubricants for corrosion protection of metals in a maritime humid-subtropical climate. Amerb.neft.khom. 38 no.12:36 D'59. (MIRA 13:10) (Inhibition(Chemistry)) (Corrosion and anticorrosives)

KALANKHODZHAYEV, A.A.

USSR/General Problems of Pathology. Pathophysiology of the Infectious Process.

U-3

Abs Jour

: Ref Zhur - Biol., No 20, 1958, No 93844

Author

: Kalankhodzhayev A. A.

Inst Title : Uzbek Scientific Research Tubercular Institute : Function of the Thyroid Gland in Tuberculosis.


Orig Fub

: Sb. tr. Uzb. n.-1. tuberk. in-ta, 1957, 3, 149-157

Abstract

: 80 men and 58 women 18-30 years of age, who were ill with tuberculosis of the lung (TL), were examined. Absorption of I¹³¹ served as an indicator of the function of the thyroid cland (TG). The function of TG was subject to change of the course, the duration of the process, and the degree of into-xication. In any form of TL with weakly expressed intoxication and a favorable course a normal function of TG was observed more often and a hyperfunction loss often. A hypofunction of the TG was usually observed in severe progressive TL with pronounced intoxication.


Card 1/1



KALANOT, B.Sh.

Effect of gibberellin on the anatomic structure of the stalk of the grapecluster. Uzb. biol. zhur. 7 no.4331-34 163.

1. Nauchno-issledovatel skiy institut sadovodstva i vinogradstva imeni Shredera.



KALANOVIC, D.

Fundamental principles of motion studies and time measurement. p. 787. TEHNIKA (Savaz inzenjera i techicara Jugoslavije) Beograd. Vol. 11, no. 5, 1956

SOURCE: East Europe Accessions Lists (EEAL), Library of Congress, Vol. 5, no. 11, Nov. 1956

KALANOVIC M. Gattle breeding p. :6

Vol 2, no. 10, Ost. 1954
POLJOPRIVREDA
AGRIGULTURE
Beograd

SO: MONTHLY LIST OF EAST EUROPEAN ACCESSIONS, (REAL), LC, VOL, 4, no. 9.

Sept. 1954, Encl.

SLAVKOVIC, Jovan; KOVACEVIC, Miroslav; KALANOVIC-KANGRGA, Radmila; ARSIKIC-JOVANOVIC, Milojka

Pathogenesis and treatment of chronic cor pulmonale. Srpski arh. celok. lek. 83 no.5-6:565-582 May-Juhe 55.

LEFE FOR THE STREET ST

1. I Interna klinika Medicinskog fakulteta u Beogradu. Upravnik: Branislav Stanojevic. (PULMOHART HEART DISEASE, chronic, pathogen. & ther. (Ser))

MILENKOVIQ-AROTIC, Jelisaveta; KALANOVIC-KANGRGA, Radmila

Effect of serpasil on arterial hypertension, review of results of treatment of 32 cases. Srpski arh. celok. lek. 84 no.1:74-77 Jan 56.

在李月星至过几乎的年轻的主任。中心,但是这种人,我们的美国工产的自己的一个,但是这一个,但是这一种,但是这种的一种,但是是一个,他们就是一个,他们就是一个,他们

 I Interna klinika Medicinskog fakulteta u Beogradu. Upravnik; prof. dr. Branislav Stanojevic. (HYPERTENSION.

arterial, ther., reservine (Ser))
(RAUNOLFIA ALKALOIDS, ther. use,
reservine in arterial hypertension (Ser))

MALARIN, A. -., MIYKH, V. F., TINYAKOVA, E. Y., and DOLGOPLANK, B. A.


"Synthesis of acrylic rubbers and their properties," a paper presented at the 9th Congress on the Chemistry and Physics of Migh Polymers, 28 Jan-2 Feb 57, Moscow, Rubber Research Inst.


B-3,084,395

KALANTAKYAN, E. V.

37606. skavniteli nyye resultaty izgnaniya askario ekstranktom muzhskogo papokotnida i santoninom. trudy in-ta malyarii i med. parazitologii (m-vo zoravookhzaneniya arm. ssr) vyp. 4, 1949 s. 221-32.

SO: Letopis' Zhurnal' nykh Statey, Vol. 37, 1949






KALANTAR, G. A.

KALANTAR, G. A. "The preparation of the raw mass and pressing the raw bricks in the dry method of production", Mest. stroit. materialy, 1916, Issue 7, p. 18-24.

SO: U-3042, 11 March 53, (Letopis 'Zhurnal 'nykh Statey, No.7 1949).



KALANTAR, G. A. Cand Tech Sci -- (diss)"Light-Colored Architectural made made the Clays Applied in the Production of Red Construction Brick." Mos, 1957. 12 pp/20 cm. (Min of Higher Education USSR, Mos Order of Labor Red Banner Construction Engineering Inst im V. V. Kuybyshew), 110 copies (KL, 17-57, 96)

KALANTAR, I. L. Cand Agr Soi -- (diss) "Motabolism and the composition of milk of Jersy and him black invested cows." Mos, 1959.

18 pp (Nos Order of Lemin Agr Acad im K. A. Timiryasev), 110 copies (KL, 52-59, 123)

SHVABE, A.K., kand.sel'skokhosyaystvennykh nauk; KAIANTAR, I.L., kand.
sel'skokhozyaystvennykh nauk

Ways of breeding Bussian dairy cattle for higher butterfat
content in milk. Agrobiologiis no.4:542-550 J1-Ag '60.

(MIRA 19:8)

1. Hoskovskaya sel'skokhozyaystavnnaya akademiya in. K.A.

Timiryazava.

(Dairy cattle breeding)

30(1)

SOV/25-59-3-12/46

AUTHOR:

Kalantar, L.

TITLE:

Vegetables Grow Without ... Soil (Ovoshchi rastut

bez pochvy)

PERIODICAL:

Nauka i zhizn', 1959, Nr 3, p 35 (USSR) MR.

ABSTRACT:

The Russian scientists K.A. Timiryazev and D.N. Pryanishnikov proved that it is possible to cultivate plants without soil. This method of growing vegetables is now being studied by scientific coworkers of the Leningrad State University and of the Leningradskiy teplichno-parnikovyy kombinat (Leningrad Hothouse Combine). It was shown that cucumbers and tomatoes grow in 15 cm diameter asbestos-cement tubes filled with a solution containing all necessary mineral salts yielded a good harvest without altering the taste of the vegetables. Professor V.A. Chesnokov developed the hydro-gravel and hydro-sphagnum methods, where gravel, mixed respectively with crumbled bricks or bog-moss


Card 1/2


Vegetables Grow Without....Soil


SOV/25-59-3-12/46


(sphagnum), is saturated at intervals with a solution containing (calculated for 1 ton of water): 500 g potassium nitrate, 350 g superphosphate, 300 g magnesium sulfate, 200 g ammonium nitrate, 6 g ferric chloride, 0.72 g boric acid, 0.45 g manganese sulfate, 0.06 zinc sulfate and 0.02 g copper sulfate. Vegetables grown in such conditions proved to be better than those grown under normal conditions. Another advantage is the absence of plant diseases and vermin. The costs are considerably reduced, with 1 kg of tomatoes e.g. by 36.6%. The nutritive quality remains the same. There is 1 photo.


Card 2/2































of refining on stability of energetic of Mos, 1957.

21 pp 20 cm. (Min of Higher Education USSR. Moscow Order Acodemician)

of Labor Red Banner Inst im (I.M. Gubkin), 120 copies

(KL, 21-57, 102)

8(0), 15(6)

SOV/112-59-2-2387

Translation from: Referativnyy zhurnal. Elektrotekhnika, 1959, Nr 2, p 15 (USSR)

AUTHOR: Kalantar, N. G., and Sterkhova, L. G.

TITLE: Electrophysical Stability of Insulating Oils

(Ob elektrofizicheskoy stabil nosti izolyatsionnykh masel)

PERIODICAL: Khimiya i tekhnol. topliva i masel, 1957, Nr 11, pp 47-52

ABSTRACT: For various depths and natures of oil purification, variations of the following electrophysical properties of insulating oils were studied: dielectric loss tg &, permittivity &, acid number, saponification value and laboratoryaging deposit. Fresh oils show no relationship between the depth and method of purification and tg &; the tg & varies, depending on the degree of oil liberation from impurities, and is determined by impurity conductance, not by hydrocarbon oil composition. Permittivity of fresh oils decreases with better purification because it depends on hydrocarbon composition. Oils behave differently after aging. With a better purification, the tg & of an oxidized oil

Card 1/2 Yaroslauskiy nestepereralaty vay ushehiy Zavod im . Mendeleyeva.

SOV/112-59-2-2387

Electrophysical Stability of Insulating Oils

decreases; after a certain optimum, the purification again begins to rise. Oil permittivity plotted against temperature is different for different purification depths. For underpurified oils, the permittivity-temperature curve has a sharp peak between 80° and 100°C. For optimum-purified oils, this curve approaches a slightly drooping straight line. Thus, the optimum oil purification can be judged, along with other known indicants, by the shape of the permittivity-temperature curve. For overpurified oils, the permittivity has a dip between 20° and 100°C. Plotting permittivity of oxidized oils against temperature can be used as a valuable method for determining the suitability of oil for electrical insulation. Bibliography: 12 items. Yaroslavskiy neftepererabatyvayushchiy z-d (Yaroslavl' Oil Refinery) imeni Mendeleyev.

M.I.Sh.

Card 2/2

\$/065/60/000/011/004/009 E194/E484

AUTHORS:

Kalantar, N.G., Fryazinov, V.V., Yevsyukov, Ye.I., Edel'shteyn, I. Ya. and Bondarenko, M.F.

TITLE:

Transformer Oil From Distillates of Sulphurous

Eastern Crudes

PERIODICAL: Khimiya i tekhnologiya topliv i masel, 1960, No.11

pp.15-22

TEXT: Many attempts have been made to produce from sulphurous crudes transformer oils of low sulphur content but this has always led to over-refining so that transformer oil containing about 0.5% sulphur was too acid-forming in the standard oxidation test unless 0.2 to 0.3% imported Topanol 0 (DBPC) were added to it. The object of the present work was to study the refining of stable transformer oil without the use of inhibitors. Preliminary study of the composition of the sulphur compounds showed that the distillates contained no free sulphur or hydrogen sulphide and that distillates with an initial boiling point above 295 to 300°C did not corrode the copper strip in the oxidation test (14 hours at 120°C with copper and iron catalyst, with flow of oxygen). work showed that it was not essential to reduce the sulphur Card 1/4

S/065/60/000/011/004/009 E194/E484

Transformer Oil From Distillates of Sulphurous Eastern Crudes content to a very low level and that there was no need to neutralize the dewaxed distillates before solvent treatment. Accordingly, a series of solvent treatment tests were made on Tuymazy transformer oil distillate using from 100 to 300% volume of phenol containing 6% water. Refining was carried out in four stages with an upper temperature of 50°C and lower of 40°C. raffinates were dewaxed in a solution of 60% methyl ethyl ketone and 40% toluol at 50 to 52°C (presumably minus) part of the dewaxed raffinate was treated with 5% earth and part with 2% of 95% sulphuric acid and 10% earth. All oils were oxidized by the standard test and the results are given in Table 1. The hydrocarbon structural analysis of the various oils produced is discussed, the initial solvent treatment greatly reduces the aromatics and there is a further marked reduction after 200% solvent treatment. no substantial reduction in naphthenic structures until 300% phenol treatment is reached. The first 100% phenol removes most of the sulphur that is removed. The results are confirmed by the ultraviolet absorption spectrogram shown in Fig.1. It was concluded that it is irrational to use more than 100 to 150% phenol because

\$/065/60/000/011/004/009 E194/E484

Transformer Oil From Distillates of Sulphurous Eastern Crudes this almost completely removes the polycyclic aromatics and impairs the desired ratio between hydrocarbon structures. concluded that optimum refining was obtained in the range of 100 to 150% phenol given a sulphur content ranging from 0.7 to 1.0 . A finishing treatment with 2% sulphuric acid did not alter the nature of the oxidation test results, though acid treatment improved the oxidation test results on slightly under-refined oils and impaired them on slightly over-refined oils. The effect of over-refining by solvent treatment alone is described and illustrated with reference to the results given in Table 2 and Fig.2 which relate to trial runs of the refinery. refinery had succeeded in producing an improved distillate which was a narrower cut that responded better to phenol treatment. The distillate was treated with 135% of phenol and then dewaxed at a temperature of ~50°C. The yields and principal properties of the dewaxed oil before and after acid and earth treatment are given in Table 3, the oils fully satisfy the requirements of the standard for transformer oils but the acid treated oil is better in certain respects. Oils refined in this way are particularly

Card 3/4

S/065/60/000/011/004/009 E194/E484

Transformer Oil From Distillates of Sulphurous Eastern Crudes stable under conditions of corona discharge unlike the normal oils refined with 200% phenol. There are 2 figures. 3 tables and 18 references: 9 Soviet, 8 English and 1 German.

ASSOCIATION: Otdel khimii Bashkirskogo filiala AN SSSR;
NU NPZ; Ufimskiy Neftyanoy institut
(Chemistry Department of the Bashkiria Branch of
AS USSR; Novo-Ufa Refinery; Ufa Petroleum Institute)

Card 4/4

OBOLENTSEV, R.D., prof., doktor khim. nauk, otv. red.; GLADKOVA, L.K., red.; DRONOV, V.I., red.; KALANTAR, N.G., kand. tekhn. nauk, red.; MIKHEYEV, G.M., red.; POZDEYEV, N.M., kand. fiz.-mat. nauk, red.; KLEYMENOVA, K.F., vedushchiy red.; FEDOTOVA, I.G., tekhn. red.

[Materials of the Scientific Session on Chemistry of Sulfur- and Nitrogen Organic Compounds Contained in Petroleum and Petroleum Products] Materialy Nauchnoy sessii po khimii sera- i azotorganiche-skikh soedinenii, soderzhashchikhsia v neftiakh i nefteproduktakh. 5th, Ufa, 1959. Moskva, Gos. nauchno-tekhm. izd-vo neft. i gorno-toplivnoi lit-ry. Vol.4. [Chemistry ofsulfur organic compounds contained in petroleum and petroleum products] Khimiia seraorganicheskikh soedinenii, soderzhashchikhsia v neftiakh i nefteproduktakh. 1961. 278 p.

1. Nauchnaya sessiya po khimii sera- i azotorganicheskikh soyedineniy, soderzhashchikhsia v neftiakh i nefteproduktakh. 5th, Ufa, 1959.

2. Bashkirskiy filial AN SSSR, otdel khimii (for Obolentsev).

(Petroleum—Analysis) (Sulfur organic compounds)

5/196/62/000/006/001/018 E194/E154

AUTHOR:

Kalantar. N.G.

TITLE:

High stability" insulating oils

PERIODICAL: Referativnyy zhurnal, Elektrotekhnika i energetika, no.6, 1962, 3, abstract 6.Bl2. (Novosti neft. i gaz. tekhn. Neftepererabetka i neftekhimiya, no.7, 1961, 16-19)

TEXT: The article describes investigations into the possibility of obtaining stable oils | for cables and capacitors by solvent refining of low viscosity distillates of Tuymazy crude. Up to a certain limit deep extraction improves the resistance of oil to oxidation, but deeper refining (more than 150% phenol by volume) reduces the oxidation resistance and also the resistance to the effect of corona discharge. High sulphur content does not reduce the gas stability of the oils. Test data are given of experimental oils produced from high sulphur crudes. 14 literature references.

Card 1/2

High stability insulating oils

S/196/62/000/006/001/018
E194/E154

ASSOCIATION: Institut organich, khimii Bashkirskogo filiala
AN SSSR, Ufa
(Institute of Organic Chemistry of the Bashkir
Branch, AS USSR, Ufa)

[Abstractor's note: Complete translation.]

"APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R000620010017-4 The construction of the second construction of the construction of

5/196/61/000/012/004/029 E194/E155

AUTHOR:

Kalantar, N.G.

TITLE:

Methods of improving the quality of insulating

materials (for discussion)

PERIODICAL: Referativnyy zhurnal, Elektrotekhnika i energetika, no.12, 1961, 5, abstract 12B 29. (Vestn. elektroprom-

sti, no.7, 1961, 66-68)

TEXT: The article considers the circumstances that tend to shorten the service life of transformer oils. The following proposals are made: stricter selection of feedstock, avoiding the use of undewaxed distillates for the manufacture of insulating oils; prohibition of pour-point depressants and inhibitors of the type of paraoxydiphenylamine, which are not well suited for stabilising transformer oil; altering the assessment of certain kinds of feedstock for insulating oils; a study of the possibility of using certain high-quality high-sulphur crudes (for instance Tuymazy and Mukhanovo); unified standards for stability; a review of existing GOST standards; re-introduction Card 1/3

Methods of improving the quality ... \$/196/61/000/012/004/029 E194/E155

of the excellent soda test; increase of the flash point to 145 °C; closed sup; application of a minimum viscosity limit at 50 °C and a maximum at a lower temperature (for instance - 30 °C); more rigid specifications for neutralisation value and ash content; and also stipulation of a much lower tan b for transformer oil. It is recommended to abolish specification of the electric strength because the efforts made at the refineries to achieve high electric strength are not only laborious but indirectly lead to the impairment of a number of fundamental properties, in particular stability. As the assessment of stability of transformer oil by neutralisation value and sludge alone may give a distorted view of the extent and direction of the oxidation process, it is recommended, in order to obtain a more complete idea of the processes that occur, to use the sapenification value combined with thorough purification. Comparison of a number of insulating oils showed that many of them are given much more than the optimum refining. This is because inadequate exidation tests were used. One of the more effective methods of rapidly

Card 2/3

Methods of improving the quality ... S/196/61/000/012/004/029 E194/E155

determining the stability of transformer oil is to determine the oxygen absorption. It is recommended to include determination of saponification value in assessment of the stability of transformer oil. Recommendations are made concerning improvements in the use of oxidation inhibitors in transformer oil.

[Abstractor's note: Complete translation.]

Card 3/3

8/081/62/000/021/046/069 B171/B101

AUTHOR:

Kalantar, N. C.

TITLE:

Effects of sulfur organic compounds on the stability of oils

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 21, 1962, 402-403, abstract 21M142 (Novosti neft. i gaz. tekhn. Neftepererabotka

i neftekhimiya, no. 3, 1962, 9-13)

TEXT: The methane-naphthene fraction (F) $(d_4^{20} = 0.8379; n_D^{20} = 1.4623;$ viscosity 19.4 centistokes/20°C; mol.w. 297; S content 0.02%), separated by chromatography from a deparaffinated transformer distillate of the Tuymasy oil, and the transformer cil (T0) $(d_4^{20} = 0.8698; n_D^{20} = 1.4851;$ viscosity 27.1 cst/20°C; mol. w. 297; S-content 1.0%) from the same distillate were used to test the antioxidating effects of some sulfur organic compounds. The oxidation of oils was carried out at 120°C, during 400 min, in the presence of copper as catalyst. Water and C0₂ liberated during oxidation were absorbed by ascarite and by activated Al₂0₃. The quantity of 0₂ used Card 1/2

S/065/62/600/005/002/002 E075/E436

// 9/00 AUTHORS: Kalantar, N.G., Glazunov, V.I., Mannafova, V.S.

TITLE:

nen ber bereichte geraff & mir.

Composition and properties of transformer oil

distillates from Tuymazy crude

PERIODICAL: Khimiya i tekhnologiya topliv i masel, no.5, 1962,

TEXT: The distillates from Tuymazy crude, boiling point range 310 to 405°C and entracted with 0%, 135% (oil \$\overline{Q}\$-89 (D-89)) and 200% (oil \$\overline{Q}\$-105 (D-105)) of phenol were subjected to methyl ethylketone/toluene dewaxing and chromatographic separation on silica gel. The contents of aromatic hydrocarbons and sulphur compounds fraction were about 50, 40 and 20% for the distillate, oil D-89 and oil D-105 respectively. Most of the aromatic fraction in the distillate was constituted by bicyclic aromatic hydrocarbons. The concentration of tricyclic and higher hydrocarbons. The concentration of tricyclic and higher aromatics was not higher than 0.5% of the fraction. Sulphur contents of the aromatic fractions ranged from 0.6 to 7.3%. There was no free sulphur, no H2S and very little mercaptan sulphur. The fractions with refractive index smaller than 1.5623 Card 1/2

Composition and properties ...

S/065/62/000/005/002/002 E075/E36

had no sulphide sulphur. The latter S was predominant in the last silica gel fractions. Oxidation stability of the fractions and their mixtures was determined by oxygen absorption in a closed system. It was found that the inhibiting action of the aromatic fractions of the distillate increases with their refractive index and reaches a maximum for the penultimate fraction. For the oils D-89 and D-105, the last fraction had the strongest inhibiting action. In the latter oil, however, the last fraction was not such a good inhibitor as the fraction from oil D-89. There are 3 tables and 4 figures.

ASSOCIATION: Bash. filial AN SSSR (Bash. Branch AS USSR)

Card 2/2

11.9100

39747 \$/065/62/000/009/002/002 E075/E436

AUTHOR:

Kalantar, N.G.

TITLE: Turbine oil 22 from Tuymazy crude

PERIODICAL: Khimiya i tekhnologiya topliv i masel, no.9, 1962,29-34

An investigation was made of the possibility and TEXT: rationality of producing phenol extracted oils from Tuymazy crude that would not give deposits after oxidation according to VTI. Distillate III was extracted with 100 to 200% of phenol. raffinates were dewaxed at -30°C and contacted with 5% clay at 95 to 100°C for 1.5 hours. It was found that the extraction with 100% phenol gave the oils with a considerable tendency to form deposits. The extraction with 140% phenol decreased sharply the deposit formation. Further increases of the phenoldistillate ratio up to 200% did not give any improvement. Also. no improvement was obtained by the additional acid and clay treatment of the raffinates, which gave over-refined oils. Such oils had a decreased content of surface active materials, which act as corrosion inhibitors and metal wetting agents. Dewaxing to the pour point of -25°C and additional clay treatment gave the oils Card 1/2

S/081/62/000/022/057/088 B180/B186

AUTHOR:

Kalantar, N. G.

TITLE:

Comparative stability tests for transformer oils

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 22, 1962, 427, abstract 22M90 (Novosti neft. i gaz. tekhn. Neftepererabotka i

neftekhimiya, no. 4, 1962, 12-15)

TEXT: The article presents the results of a comparative assessment, by various different methods, of the stability of six IRO transformer oils developed by Shell in agreement with the International Electrotechnical Commission (IEC). The British, Swiss, German and Swedish methods of determining antioxidant stability, as also the IEC and baw PAH (BashFAN) methods, give exactly the same results for each of the six IRO specimens. The only differences are in method and the use of deep refining. The Polish method A-3 and the FOCT 981-55 (GOST 981-55), gave excellent assessments. The author feels that the GOST 981-55 method does not reflect the change in the quality of the oil which is brought about by deep refining and suggests that existing methods of testing transformer oils in

Card 1/2

Comparative stability tests...

S/081/62/000/022/057/088
B180/B186

the USSR should be reviewed with the aim of bringing their quality up to the average world level. [Abstracter's note: Complete translation.]

KALANTAR, N.G.; Prinimali uchastiye: MANNAFOVA, V.S.; CLAZUNOV, V.I.;
GAESATAROVA, S.A.; KUL'MURZINA, L.Kh.; AKHETZYANOV, Ch.R.

Turbine oil 22 from Tuymazy crudes. Khim.i tekh.topl.i masel 7
no.9:29-34 S '62.

1. Bashkirskiy filial AN SSSR.

(Insulating oils)

S/143/62/000/012/001/005 D238/D308

AUTHORS:

Renne, V.T., Doctor of Technical Sciences, Bondarenko, P.N., Li Kuo-ho, Engineers and Kalantar, N.G., Candidate of Technical Sciences

等。在1915年,1915年,1915年,1916年,1916年,1916年,1916年,1916年,1916年,1916年,1916年,1916年,1916年,1916年,1916年,1916年,1916年,1916年

TITLE:

Electrical properties of electrical insulating oils obtained from eastern sulfurous petroleum

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy. Energetika, no. 12, 1962, 19-25

TEXT: The tests were carried out on A -89 (D-89) and D-105 oils obtained by the selective refinement of low-viscosity Tuy-maza petroleum distillates. The properties of D-89 and D-105 oils were respectively: d²⁰ 0.8515; kinematic viscosity at 50°C, 8.67 and 8.10 cst; sulfur content 0.95 and 0.42%; stability by the BTM (VTI) method: acid number 0.29 and 0.68 mg KOH/g; sediment 0.04 and 0.03%. Comparisons were made against a high-purity vaseline oil as employed in Class A capacitors. Gassing tests were carried out on impregnated paper insulation. As a function of temperature at 50 c/s, the loss Card 1/3

Electrical properties ...

S/143/62/000/012/001/005 D238/D308

angles were greater for both oils than for the vaseline oil while the permittivity of the D-105 oil was very near to that of the vaseline oil, a fact which is associated with the aromatic constituents, while the difference in the loss angles can be attributed to the influence of electrolytic additions in the D-105 oil. The resistivity/ temperature tests showed a lower resistivity for the D-89 and D-105 oils. Slightly lower breakdown voltages as compared with the vaseline oil over the temperature range 200 to 1200C are attributed to inferior refinement. Gassing tests were carried out at 2.5 kv, 50 c/s across 10 layers of impregnated paper with an overall thickness of 0.1 mm representing 25 kv/mm. The higher content of aromatics in the D-89 oil affords improved resistance to gassing, approaching that of the vaseline oil. Loss angle measurements at 50 c/s carried out on test capacitors over a temperature range of 200 to 1000C indicated a marked deviation from the vaseline oil only at temperatures exceeding $\sim 90^{\circ}$ C. Loss angle tests on D-89 and the vaseline oil at 1800 v, 50 c/s representing 45 kv/mm, indicated complete stability at tan δ = 0.004, over 33 hours, for the D-89 oil. The vaseline oil, starting at 0.003, displayed a catastrophic trend after 20 hours, manifested Card 2/3

Electrical properties ...

S/143/62/000/012/001/005 D238/D308

by the development of intense ionization processes. The D-89 oil was considered as having advantages over the vaseline oil. The Tuymaza oils are assessed as suitable for power capacitors, given the correct pretreatment. There are 6 figures and 3 tables.

ASSOCIATION:

Leningradskiy politekhnicheskiy institut im. M.I. Kalinina (Leningrad Polytechnic Institute im. M.I. Kalinin) (Renne, Bondarenko and Li Kuo-ho); Institut organicheskoy khimii Bashkirskogo filiala AN SSSR (Institute of Organic Chemistry, Bashkirskiy Division, AS USSR) (Kalantar)

Card 3/3


KALANTAR, N.C.; GLAZUNOV, V.I.; MANNAFOVA, V.S.; Prinimali uchastiye:

GABSATAROVA, S.A.; YUSUPOVA, F.S.

Composition and properties of transformer oil distillates from
Tuymazy petroleum. Khim.i tekh.topl.i masel 7 no.5:43-49 My
162.

1. Bashkirskiy filial AN SSSR.

(Tuymazy region—Petroleum) (Insulating oils)



KALANTAR, N.G.; FRYAZINOV, V.V.; YEVSYUKOV, Ye.I.; EDEL'SHTEYN,
I.Ya.; BONDARENKO, M.F.; Prinimali uchastiye: NANNAFOVA, V.S.
mladshiy nauchnyy sotrudnik; YANGURAZOVA, D.I., mladshiy nauchnyy
sotrudnik; GABSATTAROVA, S.A., laborant; YUSUPOVA, F.S., laborant

Transformer oil from the distillates of sulfur-bearing eastern crudes. Khim.i tekh.topl.i masel 5 no. 11:15-22 N 160.
(MIRA 13:11)

1. Otdel khimii Bashkirskogo filiala AN SSSR; Novo-Ufimskiy neftepererabatyvayushchiy zavod; Ufimskiy neftyanoy institut.
2. Otdel khimii Bashkirskogo filiala AN SSSR (for Manuafova, Yangurazova, Gabsattarova, Yusupova, Kuz'mina).

(Insulating oil)

KALANTAR, N.G.; GLAZUNOV, V.I.; MANNAFOVA, V.S.; Prinimali uchastiye:

GABSATTAROVA, S.A.; OKUNEV, I.Ye.; KUL'MURZINA, L.Kh.;

AKHMETZYANOV, Ch.R.

Composition and properties of turbine distillates from Tuymazy crudes. Khim. i tekh. topl. i masel 8 no.9:31-38 S '63. (MIRA 16:11)

1. Bashkirskiy filial AN SSSR.

PARTEV, Z.Kh.; KALANTAR, N.R.

Evaluation of the role of the cerebellum in hemopoiesis.

Zhur. eksp. i klin. med. 3 no.3:23-32 '63.


(MIRA 17:1)

1. Nauchno-issledovatel'skiy institut gematologii i perelivaniya krovi Armyanskoy SSR.

KALANTAR, N.G.; GLAZUNOV, V.I.; MANNAFOVA, V.S.


Studying the extracts of phenol purification. Nefteper. i nefteknim. no.718-13 '64. (MIRA 17:11)


1. Ufimskiy neftyenow institut i Institut organicheskoy khimii Bash-kirskogo filiala Al SSSR.





٩Į	Table Ta	部科斯特制
	Abstract: The basic components which cause a breakdown of the electrical characteristics of phenol extracts of Tuymany transformer distillate are	
Meddy-Carner of school	The sine suitur compounds of the Filide type, and aromatic hydrographone with the compounds of the Filide type, and aromatic hydrographone with the compounds of the compounds of the Filide type of the compounds	
And Parkers Training Sport	The second secon	
Mary mermocramon	្សា ប្រឹក្សា មានប្រឹក្សា ស្ដេច មានប្រឹក្សា មានប្រឹក្សា មានប្រឹក្សា មានប្រឹក្សា មានប្រឹក្សា មានប្រឹក្សា មានប្រឹ ប្រាស្ធា ស្ថិត្ត មានប្រឹក្សា មានប្រឹក្សា មានប្រឹក្សា មានប្រឹក្សា មានប្រឹក្សា មានប្រឹក្សា មានប្រឹក្សា មានប្រឹក្សា របស់ ស្ត្រី	
Total Services		
- BELLEVINE CO.		

L 52729-65 ACCESSION NR: AP5016030			
ACCESSION NR: AP5016030 AGSOCIATION: Bashfan SSSR	- Marchine de	and the adjumption of the second of the seco	
SUBMITTED: OO	ENCT: 00	SUB CODE: FT	
ردی Refer Soy. من	OFFER: 003	JPRS	
. Card 2/2	* 1 14 to Sup. to 6 produce & translation & translation of the superior of the	TOTAL ARCHITICS OF PARTIES OF THE PA	










L 30246-66 EWT(m)/T ACC NR: AP6013821 SOURCE CODE: UR/0318/65/000/012/0008/0012 AUTHOR: Kalantar, N. G.; Varshavskiy, D. S. 46 ORG: Ufa Petroleum Institute (Ufimskiy neftyanoy institut) B TITLE: Gasproof capacitor oil from Tuymazy crude SOURCE: Neftepererabotka i neftekhimiya, no. 12, 1965, 8-12 TOPIC TAGS: dielectric capacitor, petroleum product, insulating material / D-185 oil, D-186 oil, D-187 oil ABSTRACT: Two large-scale experimental industrial runs involving production of gasproof capacitor oil were carried out at the Novo-Ufimskiy Petroleum Refinery, using light spindle distillate from Tuymazy crude. The apparatus used for testing the gasproofness of the oils in a silent discharge is described. The temperature dependence of the loss tangent of the oils obtained (D-185 D-186, and D-187) was measured. The performance of all three oils was tested under actual operating conditions at the Ust'-Kamenogorsk Capacitor Plant in several hundred capacitors with 2, 3, 4, and 5--layer paper insulation impregnated with these oils and also with standard commercial oil (GOST 5775-51). In all cases, the service life of capacitors impregnated with the new gasproof oils was much longer than that of capacitors containing ordinary commercial oil. Orig. art. has: 6 figures. SUB CODE: SUBM DATE: None / ORIG REF: 002/ OTH REF: 004 Card 1/1 (C) UDC: 665.637.6(470.52)

न न हिन्द्र महिन्द्र । विभाग व विद्यान विद्या र विद्यान विद्यात विद्यात । विद्यान विद्यान विद्यान विद्यान विद्या L 37749_66 EWI(m)/T ACC NR: AP6016731 (A)SOURCE CODE: UR/0152/65/000/012/0068/0070 AUTHORS: Kalantar, N. G.; Glazunov, V. I. ORG: Ufa Petroleum Institute (Ufimskiy neftyanoy institut) TITIE: The effect of oxidation inhibitors on the gas-stability of oils SOURCE: IVUZ. Neft' i gaz, no. 12, 1965, 68-70 TOPIC TAGS: 4 transformer oil, oxygen consumption, oxidation inhibition # Temperate ABSTRACT: The effect of inhibitors (ditertiarybutylparacresol - 0.2%, paraoxydiphenylamine - 0.02%, and % -oxyquinoline, 0.5%) on the evolution or absorption of gases by four different transformer oils (subjected to a silent discharge in air at 80C and a field strength of 2.6 kv per mm at 100 hz) was investigated. The physical properties of the oils are tabulated, and the experimental results are presented. graphically (see Fig. 1). The introduction of inhibitors to highly purified oils has no effect on their gas-stability but does increase their resistance towards oxidation. It is concluded that nothing is gained by the addition of inhibitors to transformer type oils used in hermetically closed conditions. However, addition of inhibitors to high-voltage cables having a liquid oil filler does offer inter-

Card 1/2

UDC: 665. 4/5:66. 094



"APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R000620010017-4 ANTINI RECEASION NO DEN RECONDARIO DE ANTINI DE CONTRACTOR DE LA CONT

ACC NR: AP7004125

SOURCE CODE: UR/0152/66/000/011/0061/0063

Kalantar, N. G. (deceased). Varchavekiy, D. S.

ORG: Ufa Petroleum Institute (Ufimskiy neftyanoy institut)

The effect of frequency of alternating current on the gasproofing quality of oils TITLE:

SOURCE: IVUZ. Neft' i gaz, no. 11, 1966, 61-63

TOPIC TAGS: mineral oil, gas absorption, alternating current

ABSTRACT: The effect of alternating current on the gasproofing quality of oils (the ability to absorb gases) was investigated. Three typical oils were tested in air at a temperature of 800, at a mean electrical field potential of 2.6 kv/mm, and at frequencies of 50, 100, 250, 500, 750, and 1000 cpm. One oil had initial high gasproofing quality, another moderate, and the third low quality. Gas emission or gas absorption was measured by means of a manometer, and the results were plotted on graphs. It was found that increase in frequency of the alternating current from 50 to 1000 cpm decreased the gasproofing quality of poor gasproof oils but increased the quality of gasproofing in initially gasproof oils. Oils that have average gasproofing quality at 50 cpm may prove to be non-gasproof at high frequencies. The tests show that the most rapid and reliable determination of gasproofing quality may be obtained by increasing the test frequency from 50 to 100 cpm. In some doubtful cases it may be advisable to

Card 1/2

665.55:621.3.025.001.5 UDC:

so t	o 500	P70041	Higher f	requencies	add	little to	the T	ni otan	no th			Measurements		
			•			mas orra	se arre-	has	3	figures	and 1	Measurements formula.		
SUB (CODE:	11/	SUBM DAT	E: 23Apr66	6/ .0	RIG REF:	. 001							
										1		4		2 7
													1	b.
										٠.				3
				ž u		•								5
														8
														U,
							• 4						10 00	
•					•					•		1	19	1.5
					S		• -				÷			11
								:						1
		•				•							- 3,	
														5.
	· a /a													ě
rd	2/2									1.	1			

"APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R000620010017-4

